

MIBIOTIX KIDS SYRUP

PATIENT INFORMATION LEAFLET

This leaflet tells you about MIBIOTIX KIDS SYRUP.

Complementary medicine: Health Supplement.

SCHEDULING STATUS: S0

PROPRIETY NAME AND DOSAGE FORM:

MIBIOTIX KIDS SYRUP 150ml.

Read all of this leaflet carefully because it contains important information for you.

MIBIOTIX KIDS SYRUP is available without a doctor's prescription. Nevertheless, you still need to use MIBIOTIX KIDS SYRUP carefully to get the best results from it.

- Keep this leaflet. You may need to read it again.
- Do not share MIBIOTIX KIDS SYRUP with any other person.
- Ask your pharmacist if you need more information or advice.
- You must see a doctor if your symptoms worsen or do not improve.

WHAT MIBIOTIX KIDS SYRUP CONTAINS:

150 ml Syrup contains	Per 5 ml
Bacillus subtilis	2 Bill CFU's
Vitamin C (as L-Ascorbic acid)	20 mg
Vitamin A (as Palmitate)	600 mcgRE
Vitamin B1 (as Thiamine Hydrochloride)	1 mg
Vitamin B2 (as Riboflavin)	1 mg
Vitamin B3 (as Nicotinamide)	10 mg
Vitamin B5 (as Pantothenic acid)	3 mg
Vitamin B6 (as Pyridoxine Hydrochloride)	1.5 mg
Vitamin B12 (as Cyanocobalamin)	5 µg
Vitamin D3	5 mg
Vitamin E	5.5 mgTE

Biotin	110 µg
Folic acid	150 µg
Zinc (as Gluconate)	2.06 mg

In-actives: Sorbitol 1.86 g / 5 ml, Propylene Glycol, Glycerin,

Maltodextrin, Flavour Cherry. Preservative: Potassium Sorbate

0.15% *m/m*

2. WHAT MIBIOTIX KIDS SYRUP IS USED FOR:

MIBIOTIX KIDS SYRUP is a multivitamin/immune supporting nutritional supplement.

3. BEFORE YOU TAKE/ USE/ ARE GIVEN/ ADMINISTERED MIBIOTIX KIDS SYRUP:

Do NOT take/use MIBIOTIX KIDS SYRUP:

- If you are known to be hypersensitive (allergic) to (active ingredient) or any of the inactive ingredients.
- If you are pregnant or breastfeeding your (see “Pregnancy and breastfeeding”).

Take special care with MIBIOTIX KIDS SYRUP:

MIBIOTIX KIDS SYRUP does not intend to prevent or cure any form of illness or disease and should not replace any medication. If you suffer from a chronic medical condition, consult your healthcare practitioner before using this product. Do not exceed the recommended dose. **Taking/ Using/ Receiving MIBIOTIX KIDS SYRUP with food and drink:** MIBIOTIX KIDS SYRUP should not be taken with milk, juice, or any other fizzy drinks.

Pregnancy and breastfeeding:

Do not use MIBIOTIX KIDS SYRUP during pregnancy or while you are breastfeeding your baby.

Important information about some of the ingredients of MIBIOTIX KIDS SYRUP:

All inactive ingredients added on the formulation of MIBIOTIX KIDS SYRUP are known to be well tolerated.

Taking/ Giving/ Using other medicines with MIBIOTIX KIDS SYRUP:

Always tell your healthcare professional if you are taking other medicines. (This includes complementary or traditional medicine). The use of MIBIOTIX KIDS SYRUP with these medicines may cause undesirable interactions. Please consult your doctor, pharmacist, or other healthcare professional for advice

4. HOW TO TAKE/ USE MIBIOTIX KIDS SYRUP: The usual dose is:

- 1 – 3 years: take 2.5 ml daily after breakfast.
- 3 – 6 years: take 5 ml daily after breakfast.
- 6 – 12 years: take 5 – 10 ml daily after breakfast.

Always take MIBIOTIX KIDS SYRUP exactly as per recommendation of the Package Insert or by your health care provider and if you are unsure. If the symptoms worsen or persist, please consult your healthcare practitioner.

If you take/ use/ more MIBIOTIX KIDS SYRUP than you should: Do not use more than recommended dose. (See Package Insert). In the event of over dosage, consult your doctor or pharmacist. If neither is available, contact the nearest hospital or poison control center. If you miss a dose, take it as soon as you remember.

5. POSSIBLE SIDE EFFECTS:

There has not been a case of any side effects reported when taking MIBIOTIX KIDS SYRUP.

MIBIOTIX KIDS SYRUP can have side effects.

Not all side effects reported for MIBIOTIX KIDS SYRUP are included in this leaflet. Should your general health worsen or if you experience any untoward effects while taking MIBIOTIX KIDS SYRUP, please consult your healthcare provider for advice. Please report/ inform your doctor or pharmacist if you notice any side effects not mentioned in this leaflet.

6. STORAGE AND DISPOSING OF MIBIOTIX KIDS SYRUP: Store all medicines out of reach of children.

Store in a cool, dry place below or at 25°C.

Keep the container in the original packaging and in an outer carton.

Protect from light.

Do not store in a bathroom.

Do not use after expiry date stated on the label/carton and on the bottle.

Do not use MIBIOTIX KIDS SYRUP if you notice any visible signs of deterioration.

Return all unused medicine to your pharmacist/supplier.

Do not dispose of unused medicines in drains or sewage systems (e.g. toilets).

7. PRESENTATION OF MIBIOTIX KIDS SYRUP:

Yellow syrup, in a white plastic bottle with an outer carton.

8. IDENTIFICATION OF MIBIOTIX KIDS SYRUP:

Yellow syrup with a Tutti Frutti flavor.

9. REGISTRATION NUMBER:

Will be allocated by Council upon registration.

This unregistered medicine has not been evaluated by the SAHPRA for its quality, safety or intended use.

10. NAME AND ADDRESS OF REGISTRATION HOLDER:

MyHealth365 (Pty) Ltd

Suite 177, Private Bag X7, Northriding, 2162

11. DATE OF PUBLICATION:

May 2024; PI.042.1.1.24

MIBIOTIX KIDS SYRUP

PASIËNTINLIGTINGSBLAADJIE

Hierdie voubiljet bevat inligting oor MIBIOTIX KIDS SYRUP.

Komplimentêre medisyne: Gesondheidsaanvulling.

BYLAE STATUS: S0

EIENDOMSNAAM (EN DOSISVORM):

MIBIOTIX KIDS SYRUP (stroop) 150ml.

Lees die hele blaadjie sorgvuldig deur, want dit bevat belangrike inligting vir u.

MIBIOTIX KIDS SYRUP is beskikbaar sonder die voorskrif van 'n dokter. U moet egter steeds MIBIOTIX KIDS SYRUP versigtig gebruik *om die beste resultate daarmee te verkry.* o Hou hierdie pamflet. Jy sal dit dalk weer moet lees.

- Moenie MIBIOTIX KIDS SYRUP met enige ander persoon deel nie.
- Vra jou apteker as jy meer inligting of advies benodig.
- U moet 'n dokter raadpleeg indien u simptome vererger of nie verbeter nie.

1. WAT MIBIOTIX KIDS SYRUP BEVAT:

150 ml Stroop bevat:

Per 5 ml

Bacillus subtilis

2 Bill CFU's

Vitamin C (as L-Ascorbic acid)

20 mg

Vitamin A (as Palmitate)

600 mcgRE

Vitamin B1 (as Thiamine
Hydrochloride)

1 mg

Vitamin B2 (as Riboflavin)	1 mg
Vitamin B3 (as Nicotinamide)	10 mg
Vitamin B5 (as Pantothenic acid)	3 mg
Vitamin B6 (as Pyridoxine Hydrochloride)	1.5 mg
Vitamin B12 (as Cyanocobalamin)	5 µg
Vitamin D3	5 mg
Vitamin E	5.5 mgTE
Biotin	110 µg
Folic acid	150 µg
Zinc (as Gluconate)	2.06 mg

Onaktiewe bestanddele: Sorbitol 1.86g / 5 ml, Propylene Glycol, Glycerin, Maltodextrin, Flavour Cherry.

Preservative: Potassium Sorbate 0.15% *m/m*

2. WAARVOOR MIBIOTIX KIDS SYRUP GEBRUIK WORD:

MIBIOTIX KIDS SYRUP is 'n multivitamien/immuun ondersteunende voedingsaanvulling

3. VOORDAT U MIBIOTIX KIDS SYRUP NEEM: Moenie MIBIOTIX KIDS SYRUP gebruik as:

- jy bewus is daarvan dat jy hipersensitief (allergies) is vir (aktiewe bestanddeel) of enige van die bestanddele.
- jy swanger is of u baba borsvoed (sien “Swangerskap en borsvoeding”).

Neem Spesiale sorg met MIBIOTIX KIDS SYRUP: MIBIOTIX KIDS SYRUP beoog nie om enige ongesteldheid of siektetoestand te genees nie en moet nie enige medikasie vervang nie. Mense wat aan 'n chroniese mediese toestand ly moet hulle gesondheidspraktisyn raadpleeg voor hulle hierdie produk gebruik. Moenie die voorgeskrewe dosis oorskry nie.

Die neem van MIBIOTIX KIDS SYRUP met kos en drinkgoed:

MIBIOTIX KIDS SYRUP moet nie saam met melk, sap of enige ander gaskoeldranke geneem word nie. **Swangerskap en borsvoeding:**

Moenie MIBIOTIX KIDS SYRUP neem terwyl u swanger is of u baba borsvoed nie.

Belangrike inligting oor sommige van die bestanddele van MIBIOTIX KIDS SYRUP:

Al die onaktiewe bestanddeel wat op die formulering van MIBIOTIX KIDS SYRUP gevoeg word, word goed verdra.

Die neem van ander medisyne saam met MIBIOTIX KIDS SYRUP:

Lig altyd u gesondheidpraktisyn in wanneer u medisyne neem. (Dit sluit in komplementêre of tradisionele medisyne). Die gebruik van MIBIOTIX KIDS SYRUP saam met hierdie medisyne mag ongewenste wisselwerkings veroorsaak. Raadpleeg asseblief u dokter, apteker of ander professionele gesondheidsorgwerker vir advies.

4. HOE OM MIBIOTIX KIDS SYRUP TE GEBRUIK Die gewone dosis is:

- 1 – 3 jaar: neem 2.5 ml daaglik na ontbyt.
- 3 – 6 jaar: neem 5 ml daaglik na ontbyt.
- 6 – 12 jaar: neem 5 – 10 ml daaglik na ontbyt.

Neem MIBIOTIX KIDS SYRUP altyd volgens aanbevelings van die pakketinvoer of deur u gesondheidsorgverskaffer en indien u onseker is. As die simptome vererger of voortduur, raadpleeg 'n gesondheidsorgpraktisyn.

As u meer MIBIOTIX KIDS SYRUP gebruik as wat u behoort:

Moenie meer as aanbevole dosis gebruik nie. (Sien pakketinvoegsel) In die geval van 'n oordosis, raadpleeg u dokter of apteker. As geen een van hulle beskikbaar is nie, kontak onmiddellik die naaste hospitaal of gifbeheersentrum. Indien u 'n dosis vergeet het, neem dit sou gou as wat u onthou.

5. MOONTLIKE NEWE EFFEKTE

Daar was nie gevalle van enige newe-effekte gerapporteer wanneer MIBIOTIX KIDS SYRUP geneem word nie.

MIBIOTIX KIDS SYRUP kan newe-effekte hê.

Nie alle newe-effekte wat vir MIBIOTIX KIDS SYRUP gemeld is, is in hierdie inligtingstuk vervat nie. Indien u algemene gesondheid agteruitgaan of u ongewenste wisselwerkings ervaar terwyl u MIBIOTIX KIDS SYRUP gebruik, raadpleeg asseblief u gesondheidsorgvoorsiener vir advies. Lig asseblief u dokter of apteker in indien u enige newe-effekte opmerk wat nie in hierdie inligtingstuk genoem word nie.

6. BERGING EN WEGDOEN VAN MIBIOTIX KIDS SYRUP: Bewaar alle medisyne buite bereik van kinders.

Berg in 'n koel, droë plek onder of by 25 ° C.

Hou die houer in die oorspronklike verpakking en in 'n buitenste karton. Beskerm teen lig. Moenie in 'n badkamer stoor nie.

Moet nie gebruik word na die vervaldatum wat op die etiket / karton en op die bottel aangedui word nie.

Moenie MIBIOTIX KIDS SYRUP gebruik as u enige sigbare tekens van agteruitgang sien nie. Stuur alle ongebruikte medisyne na u apteker / verskaffer terug. Moet nie ongebruikte medisyne in riool- of rioolstelsels gooi nie (byvoorbeeld toilette).

7. AANBIEDING VAN MIBIOTIX KIDS SYRUP:

Geel stroop in 'n wit plastiek bottel in 'n buitenste karton.

8. IDENTIFIKASIE VAN MIBIOTIX KIDS SYRUP:

Geel stroop met 'n Tutti Frutti (gemengde vrugte) geur.

9. REGISTRASIENOMMER:

Sal deur die Raad toegeken word by registrasie.

Hierdie ongeregistreerde medisyne is nie deur die SAHPRA geevalueer ten opsigte van kwaliteit, veiligheid of beoogde gebruik nie.

10. NAAM EN ADRES VAN DIE HOUER VAN DIE REGISTRASIE:

MyHealth365 (Pty) Ltd

Suite 177, Private Bag X7, Northriding, 2162

11. DATUM VAN PUBLIKASIE:

Mei 2024; PI.042.1.1.24

© MiBiotix | ALWAYS START WITH YOUR GUT