MIBIOTIX ANTIBIOTIC THERAPY KIDS KIDS CHEWS

PATIENT INFORMATION LEAFLET

SCHEDULING STATUS:

Scheduled 0

PROPRIETY NAME AND DOSAGE FORM:

MIBIOTIX ANTIBIOTIC THERAPY KIDS KIDS CHEWABLE TABLETS

Read this leaflet carefully because it contains important information for you

Mibiotix ANTIBIOTIC THERAPY KIDS KIDS is available without a doctor's prescription.

- Keep this leaflet. You may need to read it again.
- Do not share Mibiotix ANTIBIOTIC THERAPY KIDS with any other person
- Ask your doctor, pharmacist or healthcare provider if you need more information or advice.

1. WHAT MIBIOTIX ANTIBIOTIC THERAPY KIDS CONTAINS:

One chew contains:

2 Billion CFU's Bacillus subtilis HU58

2. WHAT MIBIOTIX ANTIBIOTIC THERAPY KIDS IS USED FOR:

When taken on a regular basis Mibiotix ANTIBIOTIC THERAPY KIDS Chews will support the microflora balance in the gut and help with replacement of good bacteria to assist in prevention of the common symptoms associated with antibiotic therapy. (for example diarrhea, constipation and intestinal cramps). Mibiotix ANTIBIOTIC THERAPY KIDS Chews will form an impenetrable coating that protect the bacterium from harsh environments as it transit the gut, including heat, extreme pH levels, pressure, pressure, light and lack of oxygen.

All health and wellness start with the gut. Remember to "Always start with your gut".

3. BEFORE YOU GIVE /TAKE MIBIOTIX ANTIBIOTIC THERAPY KIDS:

Do not take MIBIOTIX ANTIBIOTIC THERAPY KIDS:

- If you are known to be hypersensitive (allergic) to (active ingredient) or any of the ingredients. (See; **1. WHAT Mibiotix ANTIBIOTIC THERAPY KIDS CONTAINS**:)

Take special care with MIBIOTIX ANTIBIOTIC THERAPY KIDS:

Mibiotix ANTIBIOTIC THERAPY KIDS Chews does not intend to prevent or cure any form of illness or disease and should not replace any medication.

If your child suffer from a chronic medical condition, consult your healthcare practitioner before taking/using Mibiotix ANTIBIOTIC THERAPY KIDS Chews.

Important information about some of the ingredients of MIBIOTIX ANTIBIOTIC THERAPY KIDS: Inactives:

All inactive ingredients added to the formulation of Mibiotix ANTIBIOTIC THERAPY KIDS Chews are known to be well tolerated.

Taking/ Giving/ Using other medicines with MIBIOTIX ANTIBIOTIC THERAPY KIDS:

The use of Mibiotix ANTIBIOTIC THERAPY KIDS Chews with other medicines may cause undesirable interactions.

Always tell your child's healthcare provider if you are taking any other medicines (This includes complementary or traditional medicines) before taking/using Mibiotix ANTIBIOTIC THERAPY KIDS Chews.

4. HOW TO USE MIBIOTIX ANTIBIOTIC THERAPY KIDS:

Do not share medicine with any other person.

- Take one Mibiotix ANTIBIOTIC THERAPY KIDS Chews daily after breakfast.

Always take Mibiotix ANTIBIOTIC THERAPY KIDS Chews exactly as per recommendation of the Package Insert or by your health care provider and if you are unsure.

If you use more MIBIOTIX ANTIBIOTIC THERAPY KIDS than you should:

Do not take more than recommended dose. (See: **4. HOW TO USE**)

In the event of overdose, consult your doctor or pharmacist. If neither is available, contact the nearest hospital or poison control center.

If you forget to take or miss a dose of MIBIOTIX ANTIBIOTIC THERAPY KIDS:

If you miss a dose, take as soon as you remember the missed dose, If you don't remember the missed dose, skip the missed dose go back and continue with your regular dosing schedule (see: 4. HOW TO USE:)

Do not take double dose to make up for forgotten individual doses.

5. POSSIBLE SIDE EFFECTS:

There have been no cases of frequent or less frequent side effects reported when taking Mibiotix ANTIBIOTIC THERAPY KIDS Chews.

Not all side effects are included in this leaflet.

However, you should consult your healthcare provider or pharmacist for advice should your general health worsen or experience untoward side effects while using Mibiotix ANTIBIOTIC THERAPY KIDS Chews.

If you notice any side effects after taking Mibiotix ANTIBIOTIC THERAPY KIDS Chews, stop immediately and consult your healthcare provider for advice.

6. STORAGE CONDITION:

Store all medicines out of reach of children

Store in a cool, dry place below or at 25 ^{0}C.

Keep the container in the original packaging and in an outer carton.

Protect from light.

Do not store in a bathroom.

Do not use after expiry date stated on the label /carton and on the bottle.

Do not use Mibiotix ANTIBIOTIC THERAPY KIDS Chews if you notice any visible signs of deterioration (e.g. bad smell, cracks).

Return all unused medicine to your pharmacist/ supplier.

Do not dispose of unused medicines in drains or sewage systems (e.g. drains or toilets).

7. PRESENTATION OF MIBIOTIX ANTIBIOTIC THERAPY KIDS:

Mibiotix ANTIBIOTIC THERAPY KIDS Chews is a white powder compressed into a chewable tablets packed in a blister pack in an outer carton, presented in 10's pack sizes.

8. IDENTIFICATION OF MIBIOTIX ANTIBIOTIC THERAPY KIDS:

Mibiotix ANTIBIOTIC THERAPY KIDS is a white chewable tablet.

9. REGISTRATION NUMBER

Date of Registration of Medicines:

[Will be allocated by Council (SAHPRA) upon registration]

This unregistered medicine has not been evaluated by SAHPRA for its quality, safety or intended use.

10. NAME AND ADDRESS OF REGISTRATION HOLDER

MyHealth365 (Pty) Ltd
Suite 177, Private Bag X7,
Northriding
2162

11. DATE OF PUBLICATON

September 2026

Ver: PI: 049.002.09.26

MIBIOTIX ANTIBIOTIC THERAPY KIDS

PASIËNTINLIGTINGSBLAADJIE

BYLAE STATUS:
Geskeduleer 0

EIENDOM NAAM EN DOSISVORM:
MIBIOTIX ANTIBIOTIC THERAPY KIDS KOUE TABLETTE

Lees hierdie blaadjie sorgvuldig deur omdat dit belangrike inligting bevat
Mibiotix ANTIBIOTIC THERAPY KIDS is beskikbaar sonder die voorskrif van 'n dokter.

- Hou hierdie pamflet. Jy sal dit dalk weer moet lees.
- Moet nie Mibiotix ANTIBIOTIC THERAPY KIDS Koue met enige ander persoon deel nie.
- Vra jou dokter, apteker of gesondheidsorgverskaffer as jy meer inligting of advies nodig het.

1. WATTER MIBIOTIX ANTIBIOTIC THERAPY KIDS BEVAT:
Een koue bevat:

2 Miljard CFU's	Bacillus subtilis HU58

2. WATTER MIBIOTIX ANTIBIOTIC THERAPY KIDS WORD GEBRUIK VIR:
Wanneer dit gereeld gebruik word, sal Mibiotix ANTIBIOTIC THERAPY KIDS Koue die mikrobiese balans in die derm ondersteun en help met die vervanging van goeie bakterieë om die algemene simptome wat met antibiotika-therapie geassosieer word, te voorkom (byvoorbeeld diarree, hardlywigheid en darmkrampe). MiBiotix ANTIBIOTIKA TERAPIE Koue vorm 'n ondoordringbare laag wat die bakterie beskerm teen harde omgewings terwyl dit deur die derm beweeg, insluitend hitte, uiterste pH-vlakke, druk, lig en gebrek aan suurstof.
Alle gesondheid en welstand begin by die derm. Onthou om "Altyd by jou derm te begin".

3. VOORDAT U MIBIOTIX ANTIBIOTIC THERAPY KIDS GEE / ONTVANG:

- Moet nie Mibiotix ANTIBIOTIC THERAPY KIDS Koue neem nie as jy weet jy is hipersensitief (allerhies) vir (aktiwe bestanddeel) of enige van die bestanddele. (Sien; **1. WAT MIBIOTIX ANTIBIOTIC THERAPY KIDS BEVAT**)

Wees besonder versigtig met MIBIOTIX SHAPE:
Mibiotix ANTIBIOTIC THERAPY KIDS Koue is nie bedoel om enige vorm van siekte of aandoening te voorkom of te genees nie en moet nie enige medikasie vervang nie.
As jou kind aan 'n chroniese mediese toestand ly, raadpleeg jou gesondheidspraktisyn voordat jy Mibiotix ANTIBIOTIC THERAPY KIDS Koue neem/gebruik.
Belangrike inligting oor sommige van die bestanddele van MIBIOTIX ANTIBIOTIC THERAPY KIDS: Inaktiwiteit:
Al die inaktiewe bestanddele wat by die formulering van Mibiotix ANTIBIOTIC THERAPY KIDS Koue gevoeg is, word bekend as goed verdra.
Neem / Gee / Gebruik van ander medisyne saam met MIBIOTIX ANTIBIOTIC THERAPY KIDS :

Die gebruik van Mibiotix ANTIBIOTIC THERAPY KIDS Koue saam met ander medikasie ken nie-gewensde interaksies veroorsaak. Sê altyd vir jou kind gesondheidsversorger as jy enige ander medikasie neem (dit sluit aanvullings of tradisionele medisyne in) voordat jy Mibiotix ANTIBIOTIC THERAPY KIDS Koue neem/gebruik.

4. HOE OM MIBIOTIX ANTIBIOTIC THERAPY KIDS TE GEBRUIK:
Moenie medisyne met enige ander persoon deel nie.

- Neem een Mibiotix ANTIBIOTIC THERAPY KIDS Koue daagliks na ontbyt.

Neem altyd Mibiotix ANTIBIOTIC THERAPY KIDS Koue presies volgens aanbevelings van die pakketinvoer of deur u gesondheidsorgverskaffer en indien u onseker is.
In geval van oordosering, raadpleeg u dokter of apteker. Indien nie beskikbaar is nie, kontak die naaste hospitaal of gifbeheersentrum.
As u meer MIBIOTIX ANTIBIOTIC THERAPY KIDS gebruik as wat u moet:
Moet nie meer as die aanbevole doses neem nie. (Sien: 4. HOE OM TE GEBRUIK)
In die geval van oordosering, raadpleeg jou dokter of apteker.
As geen van beide beskikbaar is nie, kontak die naaste hospitaal of gifbeheer sentrum.
As u vergeet om 'n dosis MIBIOTIX ANTIBIOTIC THERAPY KIDS te neem / gemis:
As jy 'n doses gemis het, neem dit sodra jy die gemiste doses onthou. As jy nie die gemiste doses onthou nie, slaan die gemiste dosis oor en gaan voort met jou gewone doseringskedule (sien: 4. HOE OM TE GEBRUIK:) Moet nie 'n dubbele dosis neem om vir vergeetagtige individuele dosisse in te haal nie.

5. MOONTLIKE NEWE EFFECKTE:
Daar is geen gevalle van gereelde of minder gereelde bywerkings gerapporteer wanneer Mibiotix ANTIBIOTIC THERAPY KIDS Koue geneem word nie. Nie alle bywerkings is in hierdie aansoeklys ingesluit nie.
Jy behoort egter jou gesondheidsorgverskaffer of apteker vir advies te raadpleeg as jou algemene gesondheid versleg of ervaar ongunstige newe-effekte tydens die gebruik van Mibiotix ANTIBIOTIC THERAPY KIDS Koue.
As jy enige newe-effekte opmerk nadat jy Mibiotix ANTIBIOTIC THERAPY KIDS Koue ingeneem het, hou dadelik op en raadpleeg jou gesondheidsverskaffer vir advies.

6. BERGINGSAANWYSINGS:
Bewaar alle medisyne buite bereik van kinders
Berg in 'n koel, droë plek onder of by 25 ° C.
Hou die houer in die oorspronklike verpakking en in 'n buitenste karton.
Beskerm teen lig.
Moenie in 'n badkamer stoor nie.
Moet nie gebruik word na die vervaldatum wat op die etiket / karton en op die bottel aangedui word nie.
Moet nie Mibiotix ANTIBIOTIC THERAPY KIDS Koue gebruik as u enige sigbare tekens van agteruitgang sien nie (bv. slegte reuk en krake).
Stuur alle ongebruikte medisyne na u apteker / verskaffer terug.
Moet nie ongebruikte medisyne in riool- of rioolstelsels weggooi nie (bv. drein en toilet).

7. AANBIEDING VAN MIBIOTIX ANTIBIOTIC THERAPY KIDS :
MiBiotix ANTIBIOTIKA TERAPIE-kougoed is 'n wit poeier wat saamgepers is in kouetablette en in 'n blisterverpakking in 'n buitenste boks aangebied word, beskikbaar in pakkies van 10.

8. IDENTIFIKASIE VAN MIBIOTIX ANTIBIOTIC THERAPY KIDS :
Mibiotix ANTIBIOTIC THERAPY KIDS is 'n wit koue tablette

9. REGISTRASIENOMMER:
Datum van registrasie van medisyne:
[Sal deur die Raad (SAHPRA) toegewys word by registrasie]
Hierdie ongeregistreerde medisyne is nie deur SAHPRA geëvalueer vir sy kwaliteit, veiligheid of bedoelde gebruik nie.

10. NAAM EN ADRES VAN REGISTRASIEHOUER:
MyHealth365 (Pty) Ltd
Suite 177, Private Bag X7,
Northriding
2162

11. DATUM VAN PUBLIKASIE:
September 2026
Ver: PI: 049.002.09.26